



Safety Data Sheet

in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

1 Identification of the substance or mixture and of the supplier

Product Name: Maxisil Maxigrab Crystal

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Preparation of adhesives

Details of Importer:

Tilers Mate
33 Fairfax Avenue,
Penrose, Auckland, New Zealand

Details of Manufacturer:

Maxisil
55 Lakewood Boulevard
Carrum Downs VIC 3201
Australia

Phone Number: +64 8 0085 6283

Emergency telephone number: +64 8 0085 6283

2 Hazards identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Health and Safety at Work (Hazardous Substances) Regulations 2017, New Zealand.
Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

The product is not classified, according to the Globally Harmonised System (GHS).

Signal Word None

Hazard Statements None

3 Composition/Information on ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 2768-02-7	Trimethoxyvinylsilane	<2.5%
	⚠ Flammable Liquids 3, H226; ⚠ Acute Toxicity (Inhalation) 4, H332	
CAS: 1065336-91-5	Decanedioic acid, 1,10-bis(1,2,2,6,6-pentamethyl-4-piperidiny) ester, mixt. with 1-methyl 10-(1,2,2,6,6-pentamethyl-4-piperidiny) decanedioate	<0.1%
	⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sensitisation 1A, H317	

4 First aid measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

(Contd. on page 2)

Safety Data Sheet

in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

Product Name: Maxisil Maxigrab Crystal

(Contd. of page 1)

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire fighting measures

Suitable Extinguishing Media:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergents.

7 Handling and storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition.

(Contd. on page 3)

Safety Data Sheet

in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

Product Name: Maxisil Maxigrab Crystal

(Contd. of page 2)

8 Exposure controls/personal protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator (ABEK type) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile or natural rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and chemical properties

Appearance:

Form:	Paste
Colour:	According to product specification
Odour:	Pleasant
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	No information available
Vapour Density:	Not applicable
Evaporation Rate:	Not applicable
Solubility in Water:	No information available
Partition Coefficient (n-octanol/water):	No information available

10 Stability and reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

(Contd. on page 4)

Safety Data Sheet

in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

Product Name: Maxisil Maxigrab Crystal

(Contd. of page 3)

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.**Incompatible Materials:** None known.**Hazardous Decomposition Products:** Toxic gases.

11 Toxicological information

Toxicity:**LD50/LC50 Values:****CAS: 2768-02-7 Trimethoxyvinylsilane**

Oral	LD50	7,120-7,236 mg/kg (Rattus norvegicus (rat))
Dermal	LD50	3.36 ml/kg (Oryctolagus cuniculus (rabbit))
Inhalation	LC50/4 h	16.8 mg/l (Rattus norvegicus (rat))

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** May cause skin irritation.**Eye:** May cause eye irritation.**Ingestion:** May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:**

Based on classification principles, the classification criteria are not met. Source: test report according to OECD 406.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available

12 Ecological information

Ecotoxicity:**Aquatic toxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 2768-02-7 Trimethoxyvinylsilane

EC50/48 h	168.7 mg/l (Daphnia magna (water flea))
LC50/96 h	191 mg/l (Oncorhynchus mykiss (rainbow trout))

(Contd. on page 5)

Safety Data Sheet

in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

Product Name: Maxisil Maxigrab Crystal

(Contd. of page 4)

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal considerations

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to be disposed of as hazardous waste.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory information

HSNO Approval Code / Group Standard:

This product is non-hazardous and so is exempt from HSNO approval.

New Zealand Inventory of Chemicals All ingredients are listed.

16 Other information

Date of Preparation or Last Revision: 24.02.2023**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

WES: Workplace Exposure Standard

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity (Inhalation) 4: Acute toxicity – Category 4

Skin Sensitisation 1A: Skin sensitisation, Hazard Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the New Zealand Chemical Industry Council document 'Code of Practice (No. HSNO CoP 8-1 09-06)' and Hazardous Substances (Safety Data Sheets) Notice 2020.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Tilers Mate makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the

(Contd. on page 6)

Safety Data Sheet
in accordance with EPA and WORKSAFE regulations

Printing date 24.02.2023

Revision date: 24.02.2023

Product Name: Maxisil Maxigrab Crystal

(Contd. of page 5)

suitability of the information provided to the particular circumstances in which the product is used.